Subject index

Acadian metamorphism, 811
Adirondack Lowlands, 589
albitite, 49
Alpine Fault, New Zealand, 429
Alps, 187
aluminosilicates, 523
amphibole, 841
andalusite veins, 643
andalusite–biotite–chloritoid assemblage, 153
andalusite–sillimanite metamorphism, 153
anticlockwise, 361
anticlockwise *P–T* path, 121
Ar/Ar dating, 455
Archaean Minto Block, 411
argon isotopes, 311

Bamble sector, 301
blueschist, 121, 455
blueschists, 211
brecciation, 197
bitumens, 493

calc-silicate rocks, 735
calc-silicates, 761
calcic pelites, 811
calcite, 285
calcsilicate rocks, 789
Caledonides, 539
carbon isotopes, 301, 311
carbonates, 249
central Australia, 373
channelled fluid flow, 327
chemographic analysis, 655
chlorite, 655, 867
chlorite thermometry, 625
chloritoid, 655
chloritoid–staurolite relations, 153
closure temperature, 221, 411
CO_2, 467
coke, 493
Colbeck Archipelago, 853
collision metamorphism, 695
complexes, 827
contact metamorphism, 99, 273, 589, 609, 789
continous reaction, 69
cooling paths, 411
cooling rate, 479
core complexes, 827
corrensite, 867
crenulation cleavage, 1

Dalradian, 249
decompression, 557
deviatoric stress contribution, 445
diffusion, 89, 221, 643
diffusion modelling, 261
dilatancy, 197
diopside, 89
ductile deformation, 327, 523, 827

east Antarctica, 557, 853
Eastern Alps, 695
eastern China, 169
eclogite, 121, 169, 311
eclogites, 187, 211, 327, 747
enderbite, 301
equilibrium and disequilibrium, 625

fluid, 761
fluid advection, 311
fluid behaviour, 735
fluid flow, 197, 373, 589
fluid fluxes, 249
fluid inclusion, 429
fluid inclusions, 237, 249, 301, 361
fluid infiltration, 345
fluids, 285, 467, 789
foliation development, 69
fractionation, 211
Franciscan, 121

garnet, 853
garnet zoning, 811
Gaspé, Canada, 867
geochronology, 187, 695
geothermometer calibrations, 211
geothermometry, 211, 221, 261, 387, 779
granulite, 301, 311,387, 557
granulite facies metamorphism, 539
granulites, 285 411, 479
graphitization, 493
greenschist facies, 249, 373
grossular–water oxygen isotope fractionation, 211
growth times, 681
Guatemala, 49

high-*P*/*T* metamorphism, 23

immiscibility, 345
inclusion trails, 1, 135, 575, 681
inclusions, 575
individual *P–T* path, 841
infiltration, 273
isochore, 361
isothermal decompression, 479
isotope fronts, 249
Italian Eastern Alps, 643

jadeite, 49, 455
jadeitite, 49

KFMASH, 99

laser analysis, 89
lawsonite, 23
low-grade metamorphism, 237
low-grade pelites, 867
low-*P*, high-*T* terranes, 445
low-pressure metamorphism, 609, 711

magmatic fluids, 709
marble, 89
Massachuetts, New England, 361
massive sulphides, 505
melilite marbles, 345
metamorphic aquifers, 345
metamorphic field gradient, 841
metamorphic fluids, 747
metamorphic ore deposits, 505
metamorphic reconstitution, 523
metapelite, 557
metapelitic rocks, 99
metaplites, 609
metasomatic replacement, 505
metasomatism, 49, 709
meteoric fluids, 429
meteroic water, 827

mica stacks, 867
microfabric, 1
microstructures, 237
migmatites, 273
millipede structure, 575
mineral compositional maps, 387
Motagua Fault Zone, 49
multiple intrusions, 711
muscovite, 779
mylonites, 327

New England, 811
NFMASH system, 455
north-east Mexico, 345
north-west Brittany, France, 69
north-west Turkey, 455

ore genesis, 505
overprinting events, 557
overthrusting, 69
oxygen isotopes, 89, 211, 221, 273, 327, 827

P–T evolution, 23
P–T path, 361, 479, 557, 735, 761, 811
P–T–d paths, 69
P–T–t path, 539
P–T–t paths, 523
paragonite, 779
partial melting, 273
pelites, 655
pelitic phase relations, 153
petrogenetic grid, 99, 609, 761
petrogenetic grids, 23
phengite, 779
pitfalls of thermobarometry, 411
polymetamorphism, 523
polyphase metamorphism, 121
porphyroblast, 1
porphyroblast growth, 69
porphyroblast rotation, 135, 681
porphyroblasts, 575
prehnite–pumpellyite facies, 467
prograde metamorphism, 841
Proterozoic, 557 853
pumpellyite, 23
pyrophyllite, 655

Raman spectra, 493
Rb–Sr thin slab dating, 667
re-equilibration, 361, 387
reaction fronts, 249
reaction softening, 1
reaction textures, 479, 735, 761
recrystallization, 853
reflectance, 493
regional deformation, 789
regional metamorphism, 261, 467
retrograde metamorphism, 249
rock fabrics, 695
rotation, 575

Sanbagawa belt, 841
Schwarzwald, 667
Seiland Igneous Province, 539
semigraphite, 493
shear zone, 311
skarns, 709
slow cooling, 261
solvus, 779
South India, 479
spiral garnet, 135
stable isotopes, 197, 237, 249, 261, 285, 373, 429, 589, 709, 747
Stawell, 609
strain rates, 681
stress, 197
SW Dyfed, 237
synkinematic plutonism, 709
synmetamorphic veining, 643
syntectonic sulphides, 505

Tasmania, 505
Taveyanne greywake, 625
thermal modelling, 711
thermobarometry, 23, 479, 811
Tono aureole, 153
trace elements, 747
transtensional shear zone, 69
TWEEQU program, 479

U–Pb monazite dating, 667
ultrahigh-*P* metamorphism, 169
ultramafic rock, 169
ultramylonite, 853
upper mantle, 169

Variscan basement, 735
Variscan migmatites, 667
varying *P–T* path, 445
veins, 197 373
Vendrette di Ries pluton, 643
very high-pressure metamorphism, 735
very low-grade metamorphism, 625

Willimantic window, 523
Witwatersrand, 655
wollastonite, 589

Author index

Aerden, D. G. A. M. Microstructural timing of the Roseberry massive sulphides, Tasmania: evidence for a metamorphic origin through mobilization of disseminated base metals, 505

Barker, A. J. Interpretation of porphyroblast inclusion trails: limitations imposed by growth kinetics and strain rates, 681
Barnicoat, A. C. *see* Bowtell, S. A.
Baumann, A. *see* Kalt, A.
Bégin, J. & Pattison, D. R. M. Metamorphic evolution of granulites in the Minto Block, northern Quebec: extraction of peak *P–T* conditions taking account of late Fe–Mg exchange, 411
Bégin, N. J. *see* Pattison, D. R. M.
Bjørklund, F. *see* Elvevold, S.
Bjørnerud, M. G. & Zhang, H. Rotation of porphyroblasts in non-coaxial deformation: insights from computer simulations, 135
Blencoe, J. G. *see* Guidotti, C. V.
Bodnar, R. J. *see* Winslow, D. M.
Bowtell, S. A., Cliff, R. A. & Barnicoat, A. C. Sm–Nd isotopic evidence on the age of eclogitization in the Zermatt–Saas ophiolite, 187
Buick, I. S., Cartwright, I., Hand, M. & Powell, R. Evidence for pre-regional metamorphic fluid infiltration of the Lower Calcsilicate Unit, Reynolds Range Group (central Australia), 789
Buick, I. S., Harley, S. L., Cartwright, I. & Mattey, D. Stable isotopic signatures of superposed fluid events in granulite facies marbles of the Rauer Greoup, East Antarctica, 285
Busa, M. D. *see* Gray, N. H.

Cartwright, I. *see* Buick, I. S.
Cartwright, I. *see* Valenta, R. K.
Cartwright, I., Power, W. L., Oliver, N. H. S., Valenta, R. K. & McLatchie, G. S. Fluid migration and vein formation during deformation and greenchist facies metamorphism at Ormiston Gorge, central Australia, 373
Cesare, B. Synmetamorphic veining: origin of andalusite- bearing veins in the Vedrette di Ries contact aureole, Eastern Alps, Italy, 643
Chacko, T. *see* Ravindra Kumar, G. R.
Clarke, G. L. *see* White, R. W.
Cliff, R. A. *see* Bowtell, S. A.; Inger, S.
Cong, B. *see* Zhang, R. Y.
Craw, D. *see* Jenkin, G. R. T.

Digel, S. & Ghent, E. D. Fluid–mineral equilibria in prehnite–pumpellyite to greenschist facies metabasites near Flin Flon, Manitoba, Canada: implications for petrogenetic grids, 467
Dong, G. *see* Zhou, T.

El-Din, A. & El-Shazly, K. Petrology of lawsonite-, pumpellyite- and sodic amphibole-bearing metabasites from north-east Oman, 23
El-Shazly, K. *see* El-Din, A.
Elvevold, S., Reginiussen, H. Krogh, E. J. & Bjørklund, F. Reworking of deep-seated gabbros and associated contact metamorphosed paragneisses in the south-eastern part of the Seiland Igneous Province, northern Norway, 539
Enami, M. *see* Nakamura, C.
Erdelbrock, K. *see* Rahn, M.

Fallick, A. E. *see* Fein, J. B.; Jenkin, G. R. T.; Linklater, C. M.
Farrow, C. M. *see* Jenkin, G. R. T.
Fein, J. B., Graham, C. M., Holness, M. B., Fallick, A. E. & Skelton, A. D. L. Controls on the mechanisms of fluid infiltration and front advection during regional metamorphism: a stable isotope and textural study of retrograde Dalradian rocks of the SW Scottish Highlands, 249
Fitzsimons, I. C. W. & Harley, S. L. Garnet coronas in scapolite–wollastonite calc-silicates from East Antarctica: the application and limitations of activity-corrected grids, 761
Frey, M. *see* Rahn, M.
Früh-Green, G. L. Interdependence of deformation, fluid infiltration and reaction progress recorded in eclogitic metagranitoids (Sesia Zone, Western Alps), 327

Gerdes, M. L. & Valley, J. W. Fluid flow and mass transport at the Valentine wollastonite deposit, Adirondack Mountains, New York State, 589
Getty, S. R. & Selverstone, J. E. Stable isotopic and trace element evidence for restricted fluid migration in 2 GPa eclogites, 747
Ghent, E. D. *see* Digel, S.
Gottschalk, M. *see* Heinrich, W.
Graham, C. M. *see* Fein, J. B.
Graham, C. M. *see* Harley, S. L.
Grauert, B. *see* Kalt, A.
Gray, N. H. & Busa, M. D. The three-dimensional geometry of simulated prophyroblast inclusion trails: inert-marker, viscous-flow models, 575
Guidotti, C. V., Sassi, F. P., Sassi, R. & Blencoe, J. G. The effects of ferromagnesian components on the paragonite–muscovite solvus: a semiquantitative analysis based on chemical data for natural paragonite-muscovite pairs, 779

Hand, M. *see* Buick, I. S.
Hand, M., Scrimgeour, I., Powell, R., Stuwe, K. & Wilson, C. J. L. Metapelitic granulites from Jetty Peninsula, east Antarctica: formation during a single event or by polymetamorphism?, 557
Harley, S. L. *see* Buick, I. S.; Fitzsimons, I. C. W.
Harley, S. L. & Graham, C. M. Stable isotopes as tracers of metamorphic processes: introduction, 209
Harlow, G. E. Jadeitites, albitites and related rocks from the Motagua Fault Zone, Guatemala, 49
Harmon, R. S. *see* Massey, J. A.
Harris, N. B. W. *see* Massey, J. A.; Mattey, D.
Harte, B. *see* Linklater, C. M.
Heinrich, W. & Gottschalk, M. Fluid flow patterns and infiltration isograds in melilite marbles from the Bufa del Diente contact metamorphic aureole, north-east Mexico, 345
Higgins, D. *see* Jenkin, G. R. T.
Hladíková, J. *see* Kríbek, B.
Hoisch, T. D. *see* Rothstein, D. A.
Holness, M. B. *see* Fein, J. B.
Hrabal, J. *see* Kríbek, B.

Inger, S. & Cliff, R. A. Timing of metamorphism in the Tauern Window, Eastern Alps: Rb–Sr ages and fabric formation, 695

Jackson, D. H. *see* Mattey, D.
Jenkin, G. R. T. *see* Sharp, Z. D.
Jenkin, G. R. T., Craw, D. & Fallick, A. E. Stable isotopic and fluid inclusion evidence for meteoric fluid penetration into an active mountain belt; Alpine Schist, New Zealand, 429
Jenkin, G. R. T., Farrow, C. M., Fallick, A. E. & Higgins, D. Oxygen isotope exchange and closure temperatures in cooling rocks, 221
Jiang, W. -T. & Peacor, D. R. Formation of corrensite, chlorite and chlorite–mica stacks by replacement of detrital biotite in low-grade pelitic rocks, 867
Jones, K. A. Progressive metamorphism in a crustal-scale shear zone: an example from the Leon region, north-west Brittany, France, 69

Kalt, A., Grauert, B. & Baumann, A. Rb–Sr and U–Pb isotope studies on migmatites from the Schwarzwald (Germany): constraints on isotopic resetting during Variscan high-temperature metamorphism, 667
Karlstrom, K. E. *see* Rothstein, D. A.
Kelley, S. P. *see* Mattey, D.; Okay, A. I.
Klemd, R., Matthes, S. & Schussler, U. Reaction textures and fluid behaviour in very high-pressure calc-silicate rocks of the Munchberg gneiss complex, Bavaria, Germany, 735
Knipe, R. J. *see* Slater, D. J.
Kreulen, R. *see* Van Den Kerkhof, A. M.
Kríbek, B., Hrabal, J., Landais, P. & Hladíková, J. The association of poorly ordered graphite, coke and bitumens in greenschist facies rocks of the Ponikla Group, Lugicum, Czech Republic: the result of graphitization of various types of carbonaceous matter, 493
Krogh, E. J. *see* Elvevold, S.
Krogh, E. J., Oh, C. W. & Liou, J. G. Polyphase and anticlockwise *P–T* evolution for Franciscan eclogites and blueschists from Jenner, California, USA, 121

Landais, P. *see* Kríbek, B.
Linklater, C. M., Harte, B. & Fallick, A. E. A stable isotope study of the migmatitic rocks in the Ballachulish contact aureole, Scotland, 273
Liou, J. G. *see* Krogh, E. J.; Zhang, R. Y.

McLatchie, G. S. *see* Cartwright, I.
Massey, J. A., Harmon, R. S. & Harris, N. B. W. Contrasting retrograde oxygen isotope exchange behaviour and implications: examples from the Langtang valley, Nepal, 261
Mattey, D. *see* Buick, I. S.
Mattey, D., Jackson, D. H., Harris, N. B. W. & Kelley, S. Isotopic constrains on fluid infiltration from an eclogite facies shear zone, Holsenøy, Norway, 311
Matthes, S. *see* Klemd, R.
Matthews, A. Oxygen isotope geothermometers for metamorphic rocks, 211
Menard, T. & Spear, F. S. Metamorphic *P–T* paths from calcic pelitic schists from the Strafford Dome, Vermont, USA, 811
Moecher, D. P. & Wintsch, R. P. Deformation-induced reconstitution and

local resetting of mineral equilibria in polymetamorphic gneisses: tectonic and metamorphic implications, 523
Morrison, J. *see* Rothstein, D. A.
Morrison, J. Meteoric water–rock interaction in the lower plate of the Whipple Mountain metamorphic core complex, California, 827
Mullis, J. *see* Rahn, M.

Nakamura, C. & Enami, M. Prograde amphiboles in hematite- bearing basic and quartz schists in the Sanbagawa belt, central Shikoku: relationship between metamorphic field gradient and *P–T* paths of individual rocks, 841

Oh, C. W. *see* Krogh, E. J.
Okay, A. I. & Kelley, S. P. tectonic setting, petrology and geochronology of jadeite + glaucophane and chloritoid + glaucophane schists from north-west Turkey, 455
Okuyama-Kusunose, Y. Phase relations in andalusite–sillimanite-type Fe-rich metapelites: Tono contact metamorphic aureole, north-east Japan, 153
Oliver, N. H. S. *see* Cartwright, I.; Valenta, R. K.

Pattison, D. R. M. *see* Bégin, J.
Pattison, D. R. M. & Bégin, N. J. Zoning patterns in orthopyroxene and garnet in granulites: implications for geothermometry, 387
Peacor, D. R. *see* Jiang, W. -T.
Phillips, G. N. *see* Zhou, T.
Powell, R. *see* Buick, I. S.; Hand, M.; Xu, G.
Power, W. L. *see* Cartwright, I.

Rahn, M., Mullis, J., Erdelbrock, K. & Frey, M. Very low-grade metamorphism of the Taveyanne greywacke, Glarus Alps, Switzerland, 625
Ravindra Kumar, G. R. & Chacko, T. Geothermometry of mafic granulites and metapelite from the Palghat Gap, South India: petrological evidence for isothermal uplift and rapid cooling, 479
Reginiussen, H. *see* Elvevold, S.
Rice, A. H. N. *see* Warr, L. N.
Rothstein, D. A. & Hoisch, T. D. Multiple instructions and low-pressure metamorphism in the central Old Woman Mountains, south-eastern California: constraints from thermal modelling, 711
Rothstein, D. A., Karlstrom, K. E., Hoisch, T. D. & Morrison, J. Synkinematic contact metasomatism: implications for the timing of pluton emplacement and regional deformation in the Scanlon shear zone, south-eastern California, 709

Sandiford, M. *see* Stuwe, K.
Sassi, F. P. *see* Guidotti, C. V.
Sassi, R. *see* Guidotti, C. V.
Schussler, U. *see* Klemd, R.
Scrimgeour, I. *see* Hand, M.
Selverstone, J. *see* Getty, S. R.
Sharp, Z. D. & Jenkin, G. R. T. An empirical estimate of the diffusion rate of oxygen in diopside, 89
Skelton, A. D. L. *see* Fein, J. B.
Slater, D. J., Yardley, B. W. D., Spiro, B. & Knipe, R. J. Incipient metamorphism and deformation in the Variscides of SW Dyfed, Wales: first steps towards isotopic equilibrium, 237
Spear, F. S. *see* Menard, T.
Spiro, B. *see* Slater, D. J.
Stüwe, K. *see* Hand, M.
Stüwe, K. & Sandiford, M. Contribution of deviatoric stresses to metamorphic *P–T* paths: an example appropriate to low-*P*, high-*T* metamorphism, 445

Touret, J. L. R. *see* Van Den Kerkhof, A. M.
Tracy, R. J. *see* Winslow, D. M.

Valenta, R. K. *see* Cartwright, I.
Valenta, R. K., Cartwright, I. & Oliver, N. H. S. Structurally controlled fluid flow associated with breccia vein formation, 197
Valley, J. W. *see* Gerdes, M. L.
Van Den Kerkhof, A. M., Touret, J. L. R. & Kreulen, R. Juvenile CO_2 in enderbites of Tromøy near Arendal, southern Norway: a fluid inclusion and stable isotope study, 301

Warr, L. N. & Rice, A. H. N. Interlaboratory standardization and calibration of clay mineral crystallinity and crystallite size data, 141
White, R. W. & Clarke, G. L. Garnet-forming reactions and recrystallization in high-grade mylonite zones, MacRobertson Land, east Antarctica, 853
Will, T. M. *see* Xu, G.
Williams, M. L. Sigmoidal inclusion trails, punctuated fabric development, and interactions between metamorphism and deformation, 1
Wilson, C. J. L. *see* Hand, M.; Xu, G.
Winslow, D. M., Bodnar, R. J. & Tracy, R. J. Fluid inclusion evidence for an anticlockwise metamorphic *P–T* path in central Massachuetts, 361
Wintsch, R. P. *see* Moecher, D. P.

Xu, G., Powell, R., Wilson, C. J. L. & Will, T. M. Contact metamorphism around the Stawell granite, Victoria, Australia, 609
Xu, G. Will, T. M. & Powell, R. A calculated petrogenetic grid for the system K_2O–FeO–MgO–Al_2O_3–SiO_2–H_2O, with particular reference to contact-metamorphosed pelites, 99

Yardley, B. W. D. *see* Slater, D. J.

Zhang, H. *see* Bjørnerud, M. G.
Zhang, R. Y., Liou, J. G. & Cong, B. Petrogenesis of garnet-bearing ultramafic rocks and associated eclogites in the Su-Lu ultrahigh-*P* metamorphic terrane, eastern China, 169
Zhou, T., Dong, G. & Phillips, G. N. Chemographic analysis of assemblages involving pyrophyllite, chloritoid, chlorite, kaolinite, kyanite, quartz: application to metapelites in the Witwatersrand goldfields, South Africa, 655